

L Number	Hits	Search Text	DB	Time stamp
3	1	(openview and (icons same text adj strings) and (physical or location\$1 or position\$1 or coordinate\$1 or longitude or latitude) same (display\$4 or view\$3 or visual\$9) and distribut\$5 and measur\$6 and analy\$7 and text adj2 strings and database and (display\$4 or view\$3 or visual\$9) and (physical or location\$1 or position\$1 or coordinate\$1 or longitude or latitude)) or ("hp openview " and icons and text adj2 strings and (display\$4 or view\$3 or visual\$9) and distribut\$4 and network\$3 and database and (coordinate\$1 or location or locating or position\$1))	USPAT	2004/10/31 06:42
4	0	(openview and (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (distribut\$4 and network\$3 and database and (coordinate\$1 or location or locating or position\$1))	USPAT	2004/10/31 06:43
5	0	(openview and (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) and(distribut\$4 and network\$3 and database and (coordinate\$1 or location or locating or position\$1))	USPAT	2004/10/31 06:43
6	0	(openview and (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)	USPAT	2004/10/31 06:44
7	48	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)	USPAT	2004/10/31 06:44
9	19	(select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)	USPAT	2004/10/31 06:44
10	7	(select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database	USPAT	2004/10/31 06:44
12	6	(select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view)or snmp)	USPAT	2004/10/31 06:49
13	5	(select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view)or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information))	USPAT	2004/10/31 06:48
14	48	(((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view)or snmp)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view)or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))	USPAT	2004/10/31 06:52

15		9	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and (location or position) same physical\$2	USPAT	2004/10/31 06:50
11		9	(select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)	USPAT	2004/10/31 06:51
16		48	(((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 06:52
17		29	(((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)), and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 06:52

18	11	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp)and (display\$4 or view\$3 or visual\$9)same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:10
19	4	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp)and (display\$4 or view\$3 or visual\$9)same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position)same (display\$4 or view\$3 or visual\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:21
20	4	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp)and (display\$4 or view\$3 or visual\$9)same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:22

21	4	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp)and (display\$4 or view\$3 or visual\$9)same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)same (string\$1 or icon\$1 or node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:23
22	1	((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or (select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)same (manag\$5 or open adj(source or view)or snmp)and (display\$4 or view\$3 or visual\$9)same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)same (string\$1 or icon\$1 or node\$1) and measur\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:49

24	2	(((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) same (string\$1 or icon\$1 or node\$1) same (performance or metric\$1 o r compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:50
23	4	(((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view) or snmp) and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) same (string\$1 or icon\$1 or node\$1) and (performance or metric\$1 o r compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:57

25	2	(((icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9)) .or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same database) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view)or snmp)) or ((select\$5 same (icons same text adj strings)) and (display\$4 or view\$3 or visual\$9) same (network or database) same (manag\$5 or open adj(source or view)or snmp)and (display\$4 or view\$3 or visual\$9) same (distribut\$5 and (metric\$1 or measur\$6 or data or information)))) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) same (string\$1 or icon\$1 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:58
26	549	database and network and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) same (string\$1 or icon\$1 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:59
27	374	(display\$4 or view\$3 or visual\$8) same (database and network) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) same (string\$1 or icon\$1 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 07:59
28	275	(display\$4 or view\$3 or visual\$8) same (database and network) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) near15 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:00
29	280	(display\$4 or view\$3 or visual\$8) same (database and network) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9) near109 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:00

30	189	(display\$4 or view\$3 or visual\$8) same (database and network) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:00
31	82	(display\$4 or view\$3 or visual\$8)near15 (database and network) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:00
32	74	(display\$4 or view\$3 or visual\$8)near10 (database and network) and physical\$2 same (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:01
33	51	(display\$4 or view\$3 or visual\$8)near10 (database and network) and physical\$2 near10 (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:01
34	43	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:02
35	0	(display\$4 or view\$3 or visual\$8)near6 (database and network) same physical\$2 near10 (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:02
36	43	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position) same (display\$4 or view\$3 or visual\$8) and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:03

37	26	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:04
39	18	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:09
44	18	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or `map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:19
45	0	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or map\$4)and (string\$1 same (icon\$4 or node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:20
46	14	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or map\$4)and (string\$1 and (icon\$4 or node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:21

47	14	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or map\$4)and (string\$1 and (icon\$4 or node\$1))same (select\$8 or custom\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:21
48	14	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or map\$4)and (string\$1 and (icon\$4 or node\$1))same (select\$8 or custom\$9)and (analy\$8 or measur\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:22
50	11	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or map\$4)and (string\$1 and (icon\$4 or node\$1))same ((select\$8 or custom\$9)and (analy\$8 or measur\$9))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:27
49	14	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database near7 (spatial\$2 or global\$2 or environment\$4)and database same (model\$3 or simulat\$5 or map\$4)and (string\$1 and (icon\$4 or node\$1))same (select\$8 or custom\$9)and (analy\$8 or measur\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:31
51	1		USPAT	2004/10/31 08:32
52	1		USPAT	2004/10/31 08:32
53	1		USPAT	2004/10/31 08:33
54	1		USPAT	2004/10/31 08:33
55	1		USPAT	2004/10/31 08:34
56	1		USPAT	2004/10/31 08:34
57	1		USPAT	2004/10/31 08:34
58	1		USPAT	2004/10/31 08:35

59	1		USPAT	2004/10/31 08:35
60	1		USPAT	2004/10/31 08:35
61	1		USPAT	2004/10/31 08:36
62	1		USPAT	2004/10/31 08:37
63	1		USPAT	2004/10/31 08:37
64	1		USPAT	2004/10/31 08:38
65	1		USPAT	2004/10/31 08:39
38	26	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:54
66	26	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and (snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:55
67	20	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 08:55
68	30	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 (text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1 or icon\$6 or node\$1)same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:02

69		13	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 ((text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1)and(icon\$6 or node\$1)) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:07
70		2	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 ((text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1)and(icon\$6 or node\$1)) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)and select\$7 same quality	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:24
71		0	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 ((text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1)and(icon\$6 or node\$1)) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)and select\$7 same quality and (measur\$6 or metric\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:14
72		0	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 ((text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1)and(icon\$6 or node\$1)) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)and select\$7 same ((predefin\$4 or pre adj defin\$3 or predetermin\$4 or pre adj determin\$3 or preset\$4 or pre adj set\$4) and quality) and (measur\$6 or metric\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:17

74	13	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 ((text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1)and(icon\$6 or node\$1)) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)and select\$7 same ((predefin\$4 or pre adj defin\$3 or predetermin\$4 or pre adj determin\$3 or preset\$4 or pre adj set\$4)or quality or measur\$6 or metric\$1 or analy\$8)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:24
73	11	(display\$4 or view\$3 or visual\$8)near6 (database and network) and physical\$2 near10 (location\$1 or position)same (display\$4 or view\$3 or visual\$8)and (select\$6 or custom\$9)near5 ((text or concaten\$6 or array\$1 or list\$1 or file\$1 or menu\$1 or string\$1)and(icon\$6 or node\$1)) same (performance or metric\$1 or compare or comparing or comparison or threshold\$3 or range\$1 or level\$1 or measur\$8 or analy\$7)and ((snmp or network near5 manag\$6 or openview or open adj source)and (map\$4 or model\$3 or simulat\$5 or database)) same (display\$4 or view\$3 or visual\$8)and select\$7 same ((predefin\$4 or pre adj defin\$3 or predetermin\$4 or pre adj determin\$3 or preset\$4 or pre adj set\$4)or quality) and (measur\$6 or metric\$1)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:23
75	3	"6577327"	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:27
76	44	"5821937"	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28
77	229	345/734	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28
78	140	345/735	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28
79	319	345/734 or 345/735	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28
80	0	(345/734 or 345/735) and select48	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28

81	293	(345/734 or 345/735) and select\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28
82	66	(345/734 or 345/735) and (string\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:28
83	45	(345/734 or 345/735) and (string\$1)and (icon\$1 or node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:29
84	15	(345/734 or 345/735) and (string\$1) same (icon\$1 or node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:29
85	3	(345/734 or 345/735) and select\$9 same ((string\$1)same (icon\$1 or node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:33
86	276	345/\$.cccls. and select\$9 same ((string\$1)same (icon\$1 or node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:33
87	1	345/\$.cccls. and select\$9 same ((string\$1)same (icon\$1 or node\$1)) same measur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:34
88	0	345/\$.cccls. and network\$4 and select\$9 same ((string\$1)same (icon\$1 or node\$1)) same measur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:34
89	198	345/\$.cccls. and network\$4 and select\$9 same ((string\$1)same (icon\$1 or node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:34
90	118	345/\$.cccls. and (data adj base or database) and network\$4 and select\$9 same ((string\$1)same (icon\$1 or node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:35
91	25	345/\$.cccls. and (data adj base or database) and network\$4 and select\$9 same ((string\$1)same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:36
92	0	345/\$.cccls. and (data adj base or database) and network\$4 and (quality) same select\$9 same ((string\$1)same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:36
93	0	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1) same select\$9 same ((string\$1)same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:36
94	0	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance) same select\$9 same ((string\$1)same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:37

95	0	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:37
96	0	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:38
97	8	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:38
98	8	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:38
99	8	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:40
100	4	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5) and (map\$4 or model\$3 or simulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:44
101	1	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same select\$9 same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5) and (map\$4 or model\$3 or simulat\$5) same (network\$4 or (data adj base or database)) same display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:44
102	4	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same (custom\$9 or select\$9) same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5) and (map\$4 or model\$3 or simulat\$5) same (network\$4 or (data adj base or database))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:53
103	4	345/\$.cccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same (custom\$9 or select\$9) same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5) and (map\$4 or model\$3 or simulat\$5) same (network\$4 or (data adj base or database)) and (select\$8 or custom\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 09:56

104	2	345/\$.ccls. and (data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same (custom\$9 or select\$9) same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5) and (map\$4 or model\$3 or simulat\$5) same (network\$4 or (data adj base or database)) and (select\$8 or custom\$9) same (catalog\$4 or librар\$4 or pre adj defin\$4 or pre adj determin\$4 or pre adj select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:00
105	10	(data adj base or database) and network\$4 and (quality or metric\$1 or performance or threshold\$4 or level\$1 or value\$1 or range\$1) same (custom\$9 or select\$9) same ((string\$1) same (icon\$1 or node\$1)) and (spatial\$2 and locat\$5) and (map\$4 or model\$3 or simulat\$5) same (network\$4 or (data adj base or database)) and (select\$8 or custom\$9) same (catalog\$4 or librар\$4 or pre adj defin\$4 or pre adj determin\$4 or pre adj select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:05
106	686	building adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:06
107	425	building adj database and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:06
108	1	building adj database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:06
109	177	database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:06
110	152	network and database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:06
111	153	network\$1 and database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:06
112	2662555	measur\$6 network\$1 and database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:07
113	1	(measur\$6 same quality) and network\$1 and database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:07
114	14	(measur\$6 same (analy\$8 or quality)) and network\$1 and database and display and strings same icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:07

115	3	(measur\$6 same (analy\$8 or quality))and network\$1 and database and display and (strings same icons) same (select\$9 or custom\$9)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:21
116	2	(measur\$6 same (analy\$8 or quality))and network\$1 and database and display and (strings same icons) same (select\$9 or custom\$9)and (model\$4 or simulat\$5 or map\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:22
117	2	(measur\$6 same (analy\$8 or quality))and network\$1 and database and (display\$4 or visual\$8 or view\$4) and (strings same icons) same (select\$9 or custom\$9)and (data adj base or model\$4 or simulat\$5 or map\$4)same (display\$4 or visual\$8 or view\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:31
118	0	(measur\$6 same (analy\$8 or quality))and network\$1 and database and (display\$4 or visual\$8 or view\$4) and (strings same icons) same (select\$9 or custom\$9)and (data adj base and (model\$4 or simulat\$5 or map\$4))same (display\$4 or visual\$8 or view\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:32
119	2	(measur\$6 same (analy\$8 or quality))and network\$1 and database and (display\$4 or visual\$8 or view\$4) and (strings same icons) same (select\$9 or custom\$9)and (data adj base or (model\$4 or simulat\$5 or map\$4))same (display\$4 or visual\$8 or view\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:36
120	1	"6643614" and string\$1	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:37
121	0	"6643614" and location\$1	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:37
122	0	"6643614" and position\$1	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:37
123	1	(location\$1 or position\$1 or geographic\$4) and "6643614"	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:38
124	1	(measur\$6 or quality or analy\$7 or compar\$5)and (location\$1 or position\$1 or geographic\$4) and "6643614"	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:40
125	1	(perform\$5 or measur\$6 or quality or analy\$7 or compar\$5)and (location\$1 or position\$1 or geographic\$4) and "6643614"	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:42
126	1	(stor\$4 or saving)same(perform\$5 or measur\$6 or quality or analy\$7 or compar\$5)and (location\$1 or position\$1 or geographic\$4) and "6643614"	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/10/31 10:42
127	1	(stor\$4 or saving)same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5)and (location\$1 or position\$1 or geographic\$4) and "6643614"	US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:43

128	3584590	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614" and (stor\$5 or saving)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:43
129	1	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614"	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:45
130	1	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614" and (stor\$5 or saving)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:46
131	1	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:46
132	0	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) and string\$1	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:48
133	1	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) and (select\$8 or custom\$9)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:49
134	0	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6643614" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) and (select\$8 or custom\$9 or configur\$8) and (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:49
135	25	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "5821937" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) and (select\$8 or custom\$9 or configur\$8) and (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:50
136	19	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "5821937" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:51
137	18	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "5821937" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:56

138	0	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "6577327" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:56
139	0	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and "20020147671" and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:56
140	18787	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:57
141	596	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4) and (string\$1 same (icon\$4 or nod\$4))	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:57
142	40	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same (librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:59
143	40	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4))	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 10:59
144	40	(stor\$4 or saving) same(metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(database or network\$3 or metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4))	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 11:00

145	27	(stor\$4 or saving) same(metric\$1 or performance or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(database or network\$3 or metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 11:00
146	14	(stor\$4 or saving) near15(metric\$1 or performance or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) same(database or network\$3 or metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 11:01
147	14	(stor\$4 or saving) near15(metric\$1 or performance or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) near15(database or network\$3 or metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 11:02
148	12	(text\$7 and graphic\$4) and (stor\$4 or saving) near15(metric\$1 or performance or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) near15(database or network\$3 or metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 11:15
149	10	(text\$7 and graphic\$4) and (stor\$4 or saving) near15(metric\$1 or performance or measur\$6 or quality or analy\$7 or compar\$5) and (location\$1 or position\$1 or geographic\$4) and (stor\$5 or saving) and (display\$4 or view\$3 or visual\$9) near15(database or network\$3 or metric\$1 or perform\$5 or measur\$6 or quality or analy\$7 or compar\$5) and (select\$8 or custom\$9 or configur\$8) same ((librar\$4 or catalog\$4) same string\$1 same (icon\$4 or nod\$4)) and (predetermin\$4 or pre adjdetermin\$4 or predefin\$4 or pre adj defin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/31 11:16